



---

## CERTIFICATE OF APPROVAL

### No CAF 5018

---

This is to certify that, in accordance with  
TS00 General Requirements for Certification of Fire Protection Products  
The undermentioned products of

**Designated CERTIFIRE Approved Door and Blank Manufacturers  
as Converted by**

## **BADMAN & BADMAN (JOINERY) LIMITED**

**The Drill Hall, Warne Road, Weston Super Mare,  
North Somerset, BS23 3SD  
Tel: 01934 644 122 Fax: 01934 628 189**

Have been assessed against the requirements of the Technical Schedule(s)  
denoted below and are approved for use subject to the conditions  
appended hereto:

---

#### **SCOPE OF APPROVAL**

**Approved for processing of  
blanks manufactured by  
CERTIFIRE approved companies  
as specified in this certificate:  
Blank conversion, apertures;  
glazing of apertures and door  
frames**

#### **TECHNICAL SCHEDULE**

**TS10 Fire Resisting Door  
Assemblies with non- Metallic  
Leaves**

**Signed and sealed for and on behalf of Warringtonfire Testing and Certification Limited**

**Paul Duggan  
Certification Manager**



Issued: 4<sup>th</sup> February 2014  
Revised: 26<sup>th</sup> April 2019  
Valid to: 25<sup>th</sup> April 2024





---

## CERTIFICATE No CAF 5018

### BADMAN & BADMAN (JOINERY) LIMITED

---

#### BLANK CONVERSION, GLAZED APERTURES and DOOR FRAMES (Pacific Rim Wood Limited)

1. This approval relates to the sizing and lipping and cutting of apertures, with or without glazing, in blanks supplied by Pacific Rim Wood Limited and to the manufacture of door frames. Subject to the undermentioned conditions, the doors will meet the requirements as detailed in the relevant certificates.
2. This certification is provided to the client for their own purposes and we cannot opine on whether it will be accepted by Building Control authorities or any other third parties for any purpose.
3. The certified blanks for which the sizing and lipping of blanks, cutting of apertures, subsequent glazing thereof and provision of frames is approved are as following:

PRW Ltd Certificate Number	Timber Door Product	Sizing and lipping	Aperture Cutting	Glazing of Apertures	Manufacture of Frames
CF5260	FD30 Flamebreak blank	✓	✓	✓	✓
CF5261	FD60 Flamebreak blank	✓	✓	✓	✓

**Note:** The scope of approval and field of application for the doors is contained in the above referenced certificates.

4. Lippings, apertures, glazing and frames shall be in accordance with Pacific Rim Wood Limited construction specifications and data sheets for the above referenced products.
5. Please refer to the relevant / current CERTIFIRE data sheet for suitable frame material options.
6. Processing is conducted in accordance with Pacific Rim Wood Limited procedures.
7. The process is approved on the basis of on-going certification of quality management system to ISO 9001:2015.
8. Inspection and surveillance of factory production control
9. The approval relates to on-going production.
10. Approved products carry a label identified with the processor's name and contact number, the CERTIFIRE name, or name and mark, together with the CERTIFIRE certificate number and a unique serial number.

Signed  
E/304

Issued: 4<sup>th</sup> February 2014  
Revised: 26<sup>th</sup> April 2019  
Valid to: 25<sup>th</sup> April 2024